

GOLD COAST CHEMICAL PRODUCTS

A DIVISION OF DORA INDUSTRIES, INC.
 2357 Stirling Road - Dania Beach, Florida 33312
 (954)893-0044 EMERGENCY 1-800 255-3924

MATERIAL SAFETY DATA SHEET


HMSI SYMBOL

HEALTH	0
FLAMMABILITY	3
REACTIVITY	2

HMSI
 4 SEVERE
 3 SERIOUS
 2 MODERATE
 1 SLIGHT
 0 MINIMAL

NFPA
 4 EXTREME
 3 HIGH
 2 MODERATE
 1 SLIGHT
 0 INSIGNIFICANT

NFPA SYMBOL



Fire

Toxicity

Special

MAY BE USED TO COMPLY WITH OSHA'S HAZARD COMMUNICATIONS STANDARD (HSC) 29 CFR 1910.1200

Trade Name ADHESIVE SPRAY AEROSOL I — IDENTIFICATION FORMULA:
 Proprietary Mixture

II — HAZARDOUS INGREDIENTS

Principle Hazardous Components	CAS #	TLV	PEL	APPROX % WT
ACETONE	67-64-1	750	1000	
HEPTANE	142-82-5	400	500	
ISOBUTANE/PROPANE BLEND	75-28-5	800	1000	

III — PHYSICAL DATA

BOILING POINT: N/A
 VAPOR PRESSURE: PSIG @70°:MAX 80
 VAPOR DENSITY: N/E
 SOLUBILITY IN WATER: PARTIAL

SPECIFIC GRAVITY: 0.853
 % VOLATILE BY VOLUME: 35 to 55
 FLASH POINT: None
 APPEARANCE AND ODOR: Straw Colored Liquid W/acetone Solvent Odor

IV — FIRE AND EXPLOSION HAZARD DATA

FLAMMABLE LIMITS: L/L U/L

FLAMMABILITY: EXTREMELY FLAMMABLE

EXTINGUISHING MEDIA: FOAM, DRY CHEMICAL, CARBON DIOXIDE, WATER

SPECIAL FIRE-FIGHTING PROCEDURE: Self-contained breathing apparatus. Use water fog to cool containers to prevent rupturing & exploding containers. Provide shielding for personnel.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Do not expose aerosol to temperatures above 130°F or the container may rupture.

V — REACTIVITY DATA

CHEMICAL STABILITY: Stable

CONDITIONS TO AVOID: Open flame, welding arcs, heat, sparks.

INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon dioxide, Carbon monoxide

HAZARDOUS POLYMERIZATION: Does not occur

VI — HEALTH HAZARD DATA

ROUTES OF ENTRY: INHALATION? y INGESTION? NO SKIN? YES EYES? NO

EFFECTS OF OVER EXPOSURE:

SKIN CONTACT OR ABSORPTION: Prolonged contact may cause defatting and drying.

INGESTION: May cause gastro intestinal discomfort

EYES: Stinging and burning

INHALATION: Can cause nasal & respiratory irritation, dizziness, weakness, nausea, headache, possible unconsciousness or asphyxiation

CARCINOGENICITY: NTP? NO IARC MONOGRAPHS? NO OSHA REGULATED? NO

EMERGENCY AND FIRST AID PROCEDURES:

EYES: Flush with water for at least 15 minutes.

SKIN: Wash with soap and water.

INHALATION: Remove to fresh air if a problem arises.

INGESTION: Do not induce vomiting. Call a physician immediately.

VII — PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE CONTAINER IS PUNCTURED AND MATERIAL IS RELEASED:
Contain spill. Use proper absorbent material.

WASTE DISPOSAL METHOD:
IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS

VIII — SPECIAL PROTECTION INFORMATION

RESPIRATORY: Wear self contained breathing apparatus if over powering.

EYES: Use splash goggles if necessary.

SKIN: PROTECTIVE GLOVES: Chemical resistant

OTHER:

VENTILATION REQUIREMENTS: Local exhaust

IX — SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:

Do not store close to oxidizers.

SPECIAL PRECAUTIONARY STATEMENTS:

Keep container closed.

LAST REVISED MARCH 31, 2009

NOTICE: We believe that the information contained on this material safety data sheet is accurate. The suggested procedures are based on experience as of the date of publication. They are not necessarily all inclusive nor fully adequate in every circumstance. Also the suggestions should not be confused with nor followed in violation of applicable laws, regulations, rules or insurance requirements. No warranty expressed or implied, of merchantability fitness or otherwise is made.