Tank Saver

Product #627

Silicate protect against rust and corrosion

This liquid forms a thin, protective film on exposed metal surfaces to inhibit the development of rust and corrosion. Its non-toxic and odorless formula protects all metals, including iron, steel, galvanized steel, brass, bronze, copper and alloys. It does not contain chromates or heavy metals, and it won't leave behind a residue so that treated tanks can be used for potable water without rinsing or cleaning.

Use in metal water-storage tanks:

- Fire departments
- Laundry /Hotel water storage systems
- Utilities
- Emergency water supplies
- Industrial/ Municipal storage tanks
- Potable water tanks

Effective Against:

Rust

Corrosion

Features and Benefits

- Forms a thin, protective film on all exposed metal surfaces.
- Designed for utility, industrial and municipal storage tanks in fire departments, laundry and hotel water storage systems.
- Non-toxic, odorless and tasteless formula.
- Protects all metals including iron, steel, galvanized steel, brass, bronze, copper and alloys.
- May be used for potable water without rinsing.

Properties	
Appearance	White liquid
Fragrance	None
Concentrate	Yes
Specific gravity	1.10
Flash point	None
pH	11.0-12.0

Directions Complete directions on product label

For Storage Tanks: Add 1 gallon for each 1,000 gallons of water each time tank is filled.

In Flowing Systems: Inject 3 gallons 10,000 gallons water. After 6-8 weeks, initial treatment, maintain system with 1 gallon per 10,000 gallons of water. For Potable Water Systems: Inject 10 ½ to 13 gallons with 100,000 gallons of water. Then 6-8 weeks after the initial treatment period, feed at a rate of 5 ¼ - 6¾ gallons with 100,000 gallons potable water.

Active Ingredients	CAS Number
Water	7732-18-5
Sodium Silicate	1344-09-8

Safety

Caution: Irritant. Avoid contact with eyes or prolonged contact with skin. Keep out of the reach of children.

DOT Shipping (ground transportation)

Proper Shipping Name:

None

Class:

None

ID Number:

None

Packing Group:

None

Quantities

30, 35 & 55 gallon

5 or 6 gallon

6 X 1 gallon

4 X 1 gallon

